FACTS ABOUT FATS

TRANS. SATURATED. OMEGA-3. OMEGA-6. OMEGA-9.

POLYS. MONOS. SO MANY FATS TO KEEP TRACK OF! AND INFORMATION IN THE MEDIA AND SCIENCE SEEM TO CONFLICT ABOUT WHICH FATS ARE HEALTHY AND WHICH ARE NOT. IT'S NO WONDER MANY PEOPLE ARE CONFUSED ABOUT WHICH TYPES OF FATS THEY SHOULD BE EATING - AND WHICH TYPES THEY SHOULD BE AVOIDING.



MAIN TYPES OF FATS

SATURATED	MONOUNSATURATED	POLYUNSATURATED	TRANS FATS			
WHERE YOU'LL FIND THEM						
Beef, poultry, pork, cow's milk, coconut, palm oil, full-fat dairy	Avocados, olives, olive oil, nuts, sunflower oil, seeds, halibut, sablefish, mackerel, vegetables high in oleic-acid ¹	Salmon, sardines, mackerel, herring, trout, fresh tuna, flax seed, walnuts, flax seed oil, soybean oil	May be found in: margarine, processed foods, candy, chips, soda, flaky pastries, some peanut butters			
WHAT THEY ARE						
Solid at room temperature. Chemically, they consist of carbon atoms saturated with hydrogen atoms.	Liquid at room temperature, but become solid when chilled. Their chemical makeup consists of one doblebonded carbon molecule.	Liquid at room temperature and even when chilled. Their chemical makeup has more than one double-bonded carbon atom. These are the omega fats: omega-3, omega-6, and omega-9.	Most trans fats are created industrially by adding hydrogen bonds to liquid oils to make a more shelf-stable product. However, some trans fats occur naturally in beef, lamb, butterfat, and dairy. ²			

FACTS ABOUT FATS

TRANS. SATURATED. OMEGA-3. OMEGA-6. OMEGA-9.
POLYS. MONOS. SO MANY FATS TO KEEP TRACK OF! AND
INFORMATION IN THE MEDIA AND SCIENCE SEEM TO
CONFLICT ABOUT WHICH FATS ARE HEALTHY AND WHICH
ARE NOT. IT'S NO WONDER MANY PEOPLE ARE CONFUSED
ABOUT WHICH TYPES OF FATS THEY SHOULD BE EATING AND WHICH TYPES THEY SHOULD BE AVOIDING.



SATURATED	MONOUNSATURATED	POLYUNSATURATED	TRANS FATS			
PHYSIOLOGIC EFFECTS						
Potentially increase risk of heart disease ³	Raise good HDL and lower LDL	Raise good HDL and lower LDL Omega fatty acids are considered anti-inflammatory and are associated with lower risk of death.	Raise LDL and lower HDL, which leads to plaque buildup in arteries and increased risk of heart disease.			
WHAT TO EAT / WHAT TO AVOID						
While opinions are mixed, it's generally recommended to limit consumption of red meats and butter.4	Generally considered heart-healthy, these foods should be eaten daily.	Generally considered heart-healthy, strive to eat cold water fish three times per week and plant-based polys often.	Entirely avoid products with partially-hydrogenated oils listed on the ingredients.			

- 1. The Best Sources of Monounsaturated Fat http://geti.in/1gHRjTc
- 2. Trans Fats http://geti.in/1kUiyhP
- 3. Fats and Cholesterol http://geti.in/1jgsUTF
- 4. Heart Disease and Diet http://geti.in/16ecyEZ

HEALTHY SNACKS LIST

A HANDY LIST OF HEALTHY SNACK OPTIONS TO KEEP IN THE KITCHEN



SATURATED	MONOUNSATURATED	POLYUNSATURATED	TRANS FATS			
PHYSIOLOGIC EFFECTS						
Potentially increase risk of heart disease ³	Raise good HDL and lower LDL	Raise good HDL and lower LDL Omega fatty acids are considered anti-inflammatory and are associated with lower risk of death.	Raise LDL and lower HDL, which leads to plaque buildup in arteries and increased risk of heart disease.			
WHAT TO EAT / WHAT TO AVOID						
While opinions are mixed, it's generally recommended to limit consumption of red meats and butter. ⁴	Generally considered heart-healthy, these foods should be eaten daily.	Generally considered heart-healthy, strive to eat cold water fish three times per week and plant-based polys often.	Entirely avoid products with partially-hydrogenated oils listed on the ingredients.			

- 1. The Best Sources of Monounsaturated Fat http://geti.in/1gHRjTc
- 2. Trans Fats http://geti.in/1kUiyhP
- 3. Fats and Cholesterol http://geti.in/1jgsUTF
- 4. Heart Disease and Diet http://geti.in/16ecyEZ